




## Opening a Whole New World: FAAC Swing Gate Systems



## *The Model 770 Swing Operator*

Our new line of low voltage swing gate operators brings FAAC's guarantee of quality and reliability to the Model 770. Designed for in-ground installation, the electromechanical 770 is an innovative 24 VDC residential operator.

### Features include:

- Operator doesn't detract from the appearance of the gate
- Gate can open inwards or outwards
- Slow down "soft stop"
- Reverse on contact
- Battery back-up

### Options include:

- 140 degree opening kit
- Positive stop kit – open & closed positions

Swing Gate Operators

Slide Gate Operators

Barrier Gate Operators

Accessories

# FAAC USA

An ISO 9001 Certified Company

FAAC is the world's largest specialized manufacturer of gate operating equipment.

# The Model 770 Swing Gate Operator

Model 770 kit includes:

- One or two gate operators with mounting hardware
- One programmable control panel which operates single leaf or bi-parting gates
- One 14 x 16 in. weather resistant, UL Listed, fiberglass enclosure
- One plug-in radio receiver
- Two radio transmitters
- Two batteries and transformer
- Two or four warning signs

## Specifications

### Applications:


Single family residence, single leaf or bi-parting gate (vehicles only, not for pedestrian use)

Duty cycle	100%
Maximum gate swing	110 degrees (140 degrees with optional kit)
90 degree opening time	13 seconds
Maximum weight per gate leaf	800 pounds (363 kg)
Maximum length per gate leaf	10 feet (3 m)
Approx. operating temperature range	-4°F to 131°F (-20°C to 5°C)
Voltage	Primary: 115 VAC Secondary: 24 VDC (100va transformer)
Absorbed power	3 W
Protection class	Nema 4x
Batteries (2 required)	7.5 amp hour, 12v


NOTE: Operator specifications are approximate.  
Environmental factors can change the performance of the operator.



Model 425 D programmable control panel in 14 in. x 16 in. hinged, lockable weather resistant, UL Listed fiberglass enclosure.



Model 770 components



Model 770 dimensions



FAAC International, Inc.  
303 Lexington Avenue  
Cheyenne, WY 82007  
1-800-221-8278  
Fax: (307) 632-8148  
Web: [www.faacusa.com](http://www.faacusa.com)